

RANDOM ADJUSTMENT - BASED CHAOTIC METAHEURISTIC ALGORITHMS FOR IMAGE CONTRAST ENHANCEMENT

Vina Ayumi, L. M. Rasdi Rere, Mochamad I. Fanany, and Aniati M. Arymurthy

Faculty of Computer Science, Universitas Indonesia, Kampus UI, Depok, 16424, Indonesia

E-mail: vina.ayumi@ui.ac.id, aniati@cs.ui.ac.id

Abstract

Metaheuristic algorithm is a powerful optimization method, in which it can solve problems by exploring the ordinarily large solution search space of these instances, that are believed to be hard in general. However, the performances of these algorithms significantly depend on the setting of their parameter, while is not easy to set them accurately as well as completely relying on the problem's characteristic. To fine-tune the parameters automatically, many methods have been proposed to address this challenge, including fuzzy logic, chaos, random adjustment and others. All of these methods for many years have been developed independently for automatic setting of metaheuristic parameters, and integration of two or more of these methods has not yet much conducted. Thus, a method that provides advantage from combining chaos and random adjustment is proposed. Some popular metaheuristic algorithms are used to test the performance of the proposed method, i.e. simulated annealing, particle swarm optimization, differential evolution, and harmony search. As a case study of this research is contrast enhancement for images of Cameraman, Lena, Boat and Rice. In general, the simulation results show that the proposed methods are better than the original metaheuristic, chaotic metaheuristic, and metaheuristic by random adjustment.

Keywords: *metaheuristic, chaos, random adjustment, image contrast enhancement*

Abstrak

Algoritma Metaheuristic adalah metode pengoptimalan yang hebat, di mana ia dapat memecahkan masalah dengan menjelajahi ruang pencarian solusi yang biasanya besar dari contoh-contoh ini, yang diyakini sulit dilakukan secara umum. Namun, kinerja algoritme ini sangat bergantung pada pengaturan parameter mereka, namun tidak mudah untuk menetapkannya secara akurat serta sepenuhnya bergantung pada karakteristik masalah. Untuk menyempurnakan parameter secara otomatis, banyak metode telah diajukan untuk mengatasi tantangan ini, termasuk logika fuzzy, kekacauan, penyesuaian acak dan lain-lain. Semua metode ini selama bertahun-tahun telah dikembangkan secara terpisah untuk penentuan parameter metaheuristik secara otomatis, dan integrasi dua atau lebih dari metode ini belum banyak dilakukan. Dengan demikian, metode yang memberikan keuntungan dari penggabungan kekacauan dan penyesuaian acak pun diusulkan. Beberapa algoritma metaheuristik populer digunakan untuk menguji kinerja metode yang diusulkan, yaitu simulasi anil, optimasi partikel, evolusi diferensial, dan pencarian harmonis. Sebagai studi kasus penelitian ini adalah peningkatan kontras untuk citra Cameraman, Lena, Boat and Rice. Secara umum, hasil simulasi menunjukkan bahwa metode yang diusulkan lebih baik daripada metaheuristik asli, metaheuristik kacau, dan metaheuristik dengan penyesuaian acak.

Kata Kunci: *metaheuristik, chaos, penyesuaian acak, peningkatan kontras gambar*

1. Introduction

Image enhancement is one of the main concerns in image processing that aims to improve the appearance of an image, to enhance their visual quality on human eyes, including to sharpen the features and to increase the contrast. Image enhancement it is useful to further image application, such as facilitating image segmentation, recognizing and interpreting useful information from the image, but does not increase nor decrea-

se the essential information of the original image. In general, the image enhancement methods can be divided into four classes, i.e. contrast enhancement, edge enhancement, noise enhancement and edge restoration [1]. Among those techniques, contrast enhancement is the focus of this paper.

There are many variations of image enhancement algorithms have been proposed. Some of the famous methods are contrast manipulations and histogram equalization for enhancing the contrast image. Contrast manipulations or linear

contrast stretching employs a linear transformation that remaps the gray-levels in a given image to fill the full range of values, and histogram equalization applies a transformation that produces a close to uniform histogram for the relative frequency of the gray-levels in the image [2].

In recent times, many metaheuristic methods have been developed for image processing applications, including image enhancement problems. Some paper [2-4] report that these methods outperform for image contrast enhancement than classical point operation. Based on some principles of biology, physics or ethology; almost all of metaheuristic are nature-inspired. Other classifications form of this method is single-solution and population-based based metaheuristic [5].

Three main purposes of metaheuristic algorithm: solving large problems, solving problems faster, and obtaining robust algorithms [6]. Besides, they are simple to design, flexible, and also not difficult to implement. However, setting parameters of these methods are not easy, and entirely depend on the problems. Some of the methods have been recommended to adjust the parameters of metaheuristic automatically. Liu and Lampinen [7] proposed FADE (fuzzy adaptive differential evolution), where the fuzzy logic is used to adjust the parameter controls of mutation and crossover. Di and Wang [8] use harmony search with chaos for training RBFNN (radial basis function neural network). Coelho et al. [1] use chaos to optimize DE for image contrast enhancement. Ferens et al [9] proposed CSA (chaotic simulated annealing) for task allocation in a multiprocessing system. Noman et al. [10] proposed adaptive DE (aDE) based on random adjustment, where the strategy is by comparing the objective of spring with the average value of the current generation. Li et al. [11] introduced market-oriented task-level scheduling in cloud workflow systems using chaos to particle swarm optimization (PSO).

All of that methods have each of advantage on automatically adjusting of metaheuristic parameters, however, integration two or more of them are rarely conducted. In this paper, we integrate 2 methods, chaos and random adjustment for attaining benefit from both of them. Chaos can be used to avoid being trapped into a local minimum and to enrich the searching behavior. On the contrary, random adjustment can be applied to achieve greater accuracy. Four types of metaheuristic algorithms are selected to represent all categories for test the proposed method performance: physics phenomena and a single solution based represent by SA, biology phenomena and population-based represent by DE, ethologic phenomena and also population-based represent by

PSO, and musical phenomena as well as population-based, represents by HS.

This paper is organized as follows: Section 1 is introduction; Section 2 gives description of image contrast enhancement; Section 3 describe the proposed methods; Section 4 we present simulation result; and conclusion of this paper in Section 5 (one blank single space line, 10 pt)

2. Methods

Image Contrast Enhancement

Contrast enhancement is applied to transform an image based on the psychophysical characteristics of the human visual system. Two techniques that are usually used for contrast enhancement are indirect and direct methods of contrast enhancement [12]. The indirect image contrast enhancement algorithms enhance the image without measuring the contrast. The direct local contrast enhancement algorithms create a criterion of contrast measure and improving the contrast measurement directly to enhance the images [1]. The proposed method in this paper are applied using a direct image enhancement approach to adjust the gray-level intensity transformation in the image. The setting up of a suitable image contrast measure is a critical step in direct image enhancement approach.

In spatial domain to the gray-level image, the enhancement uses transformation function. To generate the enhanced image, the transformation function generates a new intensity value for each pixel of original image as shown in equation(1).

$$h(i, j) = T[f(i, j)] \quad (1)$$

where $f(i, j)$ is the gray value of the (i, j) th pixel of the input images, $h(i, j)$ is the gray value of the (i, j) th pixel of the enhanced images and T is the transformation function [4].

The contrast of the image can be measured locally and globally. A local contrast functions regarding the relative difference between a central region and a larger surrounding area of a given pixel. By some of the contrast enhancement functions, the contrast values are then enhanced. The enhancement function such as the square root function, the exponential, the logarithm and the trigonometric functions [12].

The transformation functions T that is based on the gray-level distribution in the neighborhood of every pixel in a given image, applied by local enhancement methods [7]. The following method applies to each pixel at the location (x, y) shown in equation (2), is used in this paper for a transformation function as shown in equation(2).

$$T[f(i, j)] = \left(s \frac{M}{\sigma(x, y) + q} \right) \cdot [f(x, y) - r \cdot m(x, y)] + m(x, y)^p \quad (2)$$

where (x, y) and $m(x, y)$ are the standard deviation and the gray-level mean respectively, computed in a neighborhood centered at (x, y) . Where M is the global mean of the image, $f(x, y)$ and $g(x, y)$ is the gray-level intensity and the pixels output gray-level intensity value of input image pixel at location (x, y) [1].

A nonzero value for q in (2) allows for zero standard deviation in the neighborhood while c allows for only a fraction of the mean $m(x, y)$ to be subtracted from the original pixels gray-level $f(x, y)$. The last term $m(x, y)^p$ may have a brightening and smoothing effect on the image. The parameters of p, q, r and s defined over the positive real number and they are the same for the whole image [3]. According to an objective function that describes the contrast of the image, the task of metaheuristic in this formula is to find the combination of parameters p, q, r and s .

A criterion for enhancement method should be chosen to apply an automatic image enhancement technique, which does not require human intervention and no objective parameters are given by the user. This criterion will be directly related to the objective function of the metaheuristic methods. The objective function adopted in this paper for an enhancement criterion shown in equation(3).

$$F(M) = \log \left(\log \left(E(I(M)) \right) \right) \cdot \frac{ne(I(M))}{PH \cdot PV} \cdot H(I(M)) \quad (3)$$

Function $F(M)$ and $I(M)$ denote an objective function for maximization problem and the original image I with the transformation T in each pixel at location (x, y) applied according to Eq. (1). Where the respective parameters p, q, r , and s are given by the $M = (p \ q \ r \ s)$. Furthermore, $E(I(M))$ is the intensity of the edges detected with a Sobel edge detector that is applied to the transformed image $I(M)$. $ne(I(M))$ is the number of edge pixels as detected with the Sobel edge detector, PH and PV are the number of pixels in the horizontal and vertical direction of the image, respectively. Lastly, the entropy of the image $I(M)$ measured by $H(I(M))$ [1].

Proposed Method

Most of the metaheuristic algorithms have relevant parameters, such as amplification factor (F) and crossover rate (CR) in DE, initialize temperature (T) and reduction factor (c) in SA, har-

mony memory considering rate (HMCR) and pitch adjusting rate (PAR) in HS, as well as acceleration coefficients ($c1, c2$) in PSO. All of these parameters are usually sensitive, in while an improper setting of them can result in the poor performance of the system. Some studies have been conducted to adjust automatically these parameters based on the characteristic of the problems, including fuzzy logic, chaos, random adjustment, and others.

In this paper, we proposed a combination of chaos and random adjustment to improve the performance of some metaheuristic algorithms. Characteristic of chaos is nonlinear systems. Although it looks like to be stochastic, then it occurs in a deterministic nonlinear system under deterministic condition [13]. This method can avoid being trapped into local optimum and improve the performance of searching [1]. One of the systems is chaotic sequence, defined in equation(4).

$$x(n) = \mu \cdot x(n-1) \cdot [1 - x(n-1)] \quad (4)$$

where n and μ is sample parameter and control parameter. Substantially both of the parameters decides whether x stabilizes at a constant size, behaves chaotically in an unpredictable pattern, or oscillates between a limited sequence of sizes. A very small difference in the initial value of x causes substantial differences in its long-time behavior. In this work, the variety of μ is $1 < \mu < 4$; x is distributed in the range $[0, 1]$ provided the initial $x(1) \notin 0, 0.25, 0.50, 0.75, 1$.

In case of random adjustment, for instances DE algorithms, the strategy by comparing objective value of the offspring $f(x_N^{child})$ with the average of objective value in current generation f_{avg} . If $f(x_N^{child})$ is better than f_{avg} , then mutation factor and crossover rate of the primary parent are retained in offspring, or else the parameters are changed randomly.

Random Adjustment-based Chaotic SA

Simulated annealing (SA) is a robust and compact technique was first proposed by Kirkpatrick et al. [14]. With a substantial reduction in computation time, SA provides excellent solutions to single and multiple objective optimization problems. The origin of this method is Metropolis algorithm [15]. Inspired by annealing technique, this method aims to obtain the solid state of minimal energy or ground states of matter. This technique consists in heating a material to the high temperature, then in lowering the temperature slowly.

The Boltzmann distribution is the quantitative key of SA method which species that the

probability of being in any particular state x is given by equation(5).

$$p(x) = e^{-\frac{\Delta f(x)}{kT}} \quad (5)$$

where $f(x)$ is the energy of the configuration, k is Boltzmanns constant, and T is temperature. In this paper, we proposed 3 variant of methods for chaotic SA based on random adjustment. First is CSARA-1, where parameter of k is replaced by generating the value from chaotic sequence. Otherwise, the reduction factor parameter c is adjusted randomly. This value of c is used in a process when the result of the new objective function is better than the old objective function, or when the random value r is bigger than the Boltzmann distribution $p(x)$. This process will continue until the desired criteria have been achieved.

The second variant is CSARA-2, by replacing parameter of c with chaotic sequence and parameter of k is selected randomly. As long as the new objective function is better than the old objective function, or the random value of r is bigger than the value of $p(x)$, the value of k is still used in the process.

The third variant is CSARA-3, in which the parameter of k is constant, and c is produced from a chaotic sequence. The value of c is not substituted, as long as the new objective function is better than the old objective function, or the random value of r is bigger than the value of $p(x)$.

Random Adjustment-based Chaotic DE

Differential Evolution (DE) is one of the latest evolutionary algorithms proposed by Price and Storn in 1995 that applied to a continuous optimization problem. This method proposed to solve the chebyshev polynomial fitting problem and have proven for many different tasks to be a very reliable optimization strategy [5]. Starts by sampling the search space at multiple, DE algorithm randomly selected search points and creates new search points through perturbation of the existing points. DE creates new search points which are evaluated against their parents using the operation of differential mutation and recombination. Furthermore to promote the winners to the next generation, a selection mechanism is applied. Until the termination criterion is satisfied, this cycle is iterated [10]. Price et al. have suggested different variant of DE, which are conventionally named DE/x/y/z. DE/rand/1/bin is the classical version as shown in equation(6), the target vector is randomly selected in mutation process, and only one different vector is used. The acronym of

bin indicates a binomial decision rule that controlled the crossover.

$$x_G^{mut} = x_G^{r1} + F(x_G^{r2} - x_G^{r3}) \quad (6)$$

In this paper, we proposed 3 variant methods for DE. First is CDERA-1, where CR parameter is generated by chaotic sequence and mutation factor F is created randomly. On condition that new objective function is better than the average of old objective function, parameter of F is kept in used in the process. However, if not the new parameter of F is created randomly. All of the procedure will continue until the termination criterion is satisfied. The second variant is CDERA-2, where F parameter is created by chaotic sequence and CR parameter is selected randomly. In case of the new objective function is better than the average of old objective function, CR is kept in used in the process. Otherwise, CR is created randomly. The third variant is CDERA-3, in which the parameter of F is constant, and CR is created from chaotic sequence. The value of CR is not replaced, as long as the new objective function is better than the average of old objective function. Otherwise, it uses the next value of chaotic sequence.

Random Adjustment-based Chaotic PSO

Particle swarm optimization (PSO) is an adaptive algorithm based on social-psychological metaphor; a population of particles adapts by returning stochastically toward previously successful regions. The metaphor of the flocking behavior of birds uses by PSO to solve an optimization problem. Introduced in 1995 by J. Kennedy and R. Eberhart [16], this method was initial as a global optimization technique. In this algorithm, many particles are stochastically generated in the search space. As a candidate solution to the problem, each particle is represented by a velocity, a location in the search space and has a memory which helps it in remembering its previous best position. In the initialization phase of PSO, the position and velocities of all individuals are randomly initialized. The velocity defines direction and distance of particle should go. It is updated according to the equation(7).

$$v_i^{j+1} = wv_i^j + c_1r_1 \cdot [p_{ibest} - x_i^j] + c_2r_2 \cdot [g_{best} - x_i^j] \quad (7)$$

where $i = 1, 2, \dots, N$. N is the size of the swarm; p_{ibest} is the particle best-reached solution and g_{best} is the swarm global best solution. Two random numbers r_1 and r_2 are uniformly distributed in the

range [0,1], constant multiplier terms c_1 and c_2 are known as acceleration coefficients. They represent the attraction that a particle has either towards its own success or towards the success of its neighbors, respectively.

To overcome the premature convergence problem of PSO, the inertia weight ω is used. A large inertia weight encourages global exploration while a smaller inertia weight encourages local exploitation [5]. The position of each particle x_i^j is also updated in every each iteration by adding the velocity vector v_i^{j+1} to the position vector, using equation(8).

$$x_i^{j+1} = x_i^j + v_i^{j+1} \quad (8)$$

In this paper, we proposed three alternative methods for PSO. First is CPSORA-1, where parameters of r_1 and r_2 are replaced by generating their values from the chaotic sequence. These values of r_1 and r_2 are kept in used as long as the new objective function is better than average objective function. Otherwise, the next value of the chaotic sequence is used. This process will continue until the desired criteria have been achieved. The second variant is CPSORA-2, where r_1 is a constant value, and r_2 is created from the chaotic sequence. On condition that the new objective function is better than the average of old objective function, r_2 is kept in used in the process. Otherwise, it uses the next value of chaotic sequence. The third variant is CPSORA-3, where essentially is the same with the second variant, but in this case, r_1 is created from the chaotic sequence, and r_2 is a constant value.

Random Adjustment-based Chaotic HS

Harmony search (HS) proposed by Zong Woo Geem et al in 2001 is a search algorithm considered to be a population-based. By the musical process of searching for a perfect state harmony, this method is inspired. The optimization solution vector analogous to the harmony in music, and the local and global search schemes in optimization techniques analogous to the musicians improvisations. The HS algorithm uses a stochastic random search that is based on the harmony memory considering rate (HMCR) and the pitch adjusting rate (PAR) so that derivative information is unnecessary [17].

Three possible options exist when a musici-

an improvises one pitch: (1) playing any one pitch from his/her memory, (2) playing an adjacent pitch of one pitch from his/her memory, (3) playing a totally random pitch from the possible sound range. Similarly, when each decision variable chooses one value in the HS algorithm, it follows any one of three rules: (1) choosing any one value from HS memory (defined as memory considerations), (2) selecting an adjacent value of one value from the range (defined as pitch adjustments), (3) choosing the random value from the possible value range (defined as randomization)[17].

In this paper, 3 alternative methods for HS are proposed. First is CHSRA-1, where parameters of HMCR and PAR are replaced by generating their values from the chaotic sequence. These values are kept in used, as long as the new objective function is better than the averages the old objective function. Otherwise, the next value of the chaotic sequence is used. This process will continue until the desired criteria have been achieved. The second variant is CHSRA-2, where HMCR parameter is created by chaotic sequence and PAR parameter is selected randomly. In case of new objective function is better than average objective function; PAR is kept in used in process, else PAR is created randomly. The third variant is CHSRA-3, wherein essential is the same with the second variant. In this case, PAR is created from chaotic sequence, and HMCR is selected randomly.

3. Results and Analysis

The optimization problem in this paper is to enhance the image contrast using chaotic metaheuristic algorithms based on random adjustment approaches. The simulation objective is to increase the overall intensity at the edges, increasing the measurement of entropy, and maximize the number of pixel in the edges. Moreover, the simulation with original metaheuristic, metaheuristic use chaotic sequence, and metaheuristic by random adjustment are also conducted.

Since to ensure the control parameters in metaheuristic is difficult, we decided to run 30 times for all images in all simulation, as well as for all the methods stopping criterion is 40. We also set all the parameters that are looked for as $M = (p \ q \ r \ s)$, with boundaries: $p = [0 \ 1.5]$, $q = [0 \ 2]$, $r = [0.5 \ 2]$, and $s = [0.5 \ 30]$.

TABLE 1
SIMULATION RESULTS OF SA, SARA, CSA, AND CSARA

Methods	Lena		Boat		Cameraman		Rice	
	M1	T1	M2	T2	M3	T3	M4	T4
SA1	0.1515	43.17	0.1323	36.89	0.1480	47.73	0.2494	71.83
SA2	0.1542	119.83	0.1346	78.48	0.1539	103.36	0.2500	104.44
SA3	0.1537	286.30	0.1342	212.42	0.1572	174.46	0.2494	317.36
SARA1	0.1544	259.12	0.1328	179.23	0.1545	239.78	0.2497	182.84
SARA2	0.1534	99.76	0.1330	75.64	0.1529	70.26	0.2508	68.43
SARA3	0.1544	232.97	0.1346	177.40	0.1589	238.57	0.2510	183.42
CSA1	0.1530	208.42	0.1323	181.72	0.1580	227.80	0.2510	187.95
CSA2	0.1545	89.19	0.1350	172.80	0.1527	94.58	0.2503	97.02
CSA3	0.1531	271.93	0.1336	227.02	0.1514	185.21	0.2500	240.01
CSARA1	0.1549	210.74	0.1343	206.11	0.1521	187.06	0.2510	183.05
CSARA2	0.1551	207.87	0.1351	180.32	0.1568	242.06	0.2508	121.18
CSARA3	0.1541	259.45	0.1331	175.00	0.1508	239.89	0.2510	191.98

TABLE 2
SIMULATION RESULTS OF DE, DERA, CDE AND CDERA

Methods	Lena		Boat		Cameraman		Rice	
	M1	T1	M2	T2	M3	T3	M4	T4
DE1	0.1577	134.83	0.1343	112.89	0.1587	120.27	0.2536	117.23
DE2	0.1568	137.30	0.1412	87.54	0.1576	119.43	0.2529	118.70
DE3	0.1513	140.33	0.1310	113.39	0.1515	120.35	0.2476	118.37
DE4	0.1504	136.90	0.1344	113.88	0.1595	120.19	0.2481	115.91
DE5	0.1517	134.06	0.1352	111.89	0.1507	120.41	0.2477	91.82
DERA1	0.1549	134.10	0.1399	119.41	0.1562	120.68	0.2531	118.97
DERA2	0.1558	134.06	0.1400	115.87	0.1578	91.21	0.2515	119.50
DERA3	0.1565	134.82	0.1272	115.72	0.1580	116.59	0.2529	119.17
CDE1	0.1559	105.83	0.1418	86.41	0.1578	106.46	0.2529	91.67
CDE2	0.1568	134.63	0.1406	115.54	0.1582	120.70	0.2531	119.04
CDE3	0.1532	133.89	0.1413	113.29	0.1580	91.04	0.2530	118.46
CDERA1	0.1558	104.42	0.1398	87.46	0.1575	91.22	0.2529	88.26

All of the algorithms were programmed and implemented in MatlabR211a, on personal computer with processor Intel Core i7-4500U, 8 GB RAM running memory, in Windows 8.1. To evaluate the image enhancements based on these proposed methods, four images were evaluated, i.e. Cameraman, Rice, Boat, and Lena; all of them have been resized at 256x256 pixels, and are converted into double precision for numerical computation. In case of contrast color image enhancement, at the first time, the RGB color spaces (red, green, blue) is converted into YIQ color space (luminance, hue, saturation), and then apply them to the methods only for the Q component. After that process, they convert back to the RGB color space

Simulation of SA, SARA, CSA and CSARA

Simulation of simulated annealing algorithm is carried out in 13 conditions. First, group is 3 simulations on the original of simulated annealing: SA1 (k=1,c=0.2), SA2 (k=1,c=0.5), SA3 (k=1,c=0.8). Second is 4 simulations on SA by

random adjustment: SARA1 (k = RA, c = 0.2), SARA2 (k = RA, c = 0.5), SARA3 (k = RA, c = 0.8), SARA4 (k = c = RA). Third is 3 simulations on SA by chaotic: CSA1 (k = Ch, c = 0.2), CSA2 (k = Ch, c = 0.5), CSA3 (k = Ch, c = 0.8), and fourth is 3 simulations on the proposed methods, i.e. chaotic SA based on random adjustment: CSARA1 (k = Ch, c = RA), CSARA2 (k = RA, c = Ch), CSARA3 (k = 1, c = ChRA).

Simulation results for all SA algorithms are given in Table 1. These results show that mean objective function of the proposed methods achieves the higher value for all images: CSARA3 for image of Lena (M1 = 0.1554), CSARA1 for image of Boat (M2 = 0.1351), Cameraman (M3 = 0.1584) and rice (M4 = 0.2512). In case of computation time, the comparisons from the simulation results for SA algorithms shows that for all images, the best computation time is SA1: Lena (T1 = 43.17s), Boat (T2 = 47.73s), Cameraman (T3 = 36.90s), and Rice (T4 = 71.83s).

Moreover, the best objective function of proposed methods also gives better value for all images: CSARA1 with SARA3 for the image of

TABLE 3
SIMULATION RESULTS OF PSO, PSORA, CPSO AND CPSORA

Methods	Lena		Boat		Cameraman		Rice	
	M1	T1	M2	T2	M3	T3	M4	T4
PSO1	0.1525	131.11	0.1361	111.94	0.1523	118.28	0.2509	116.52
PSO2	0.1515	132.71	0.1357	112.51	0.1505	115.84	0.2521	86.85
PSO3	0.1506	131.15	0.1333	113.85	0.1438	94.20	0.2508	86.86
PSO4	0.1508	133.16	0.1339	113.57	0.1527	98.16	0.2510	86.90
PSORA1	0.1533	107.80	0.1379	92.72	0.1557	95.61	0.2522	88.05
PSORA2	0.1550	104.60	0.1382	87.28	0.1559	91.54	0.2518	90.65
PSORA3	0.1539	100.81	0.1353	85.20	0.1544	90.20	0.2513	91.17
CPSO1	0.1512	105.62	0.1368	88.73	0.1572	92.60	0.2521	85.00
CPSO2	0.1549	103.26	0.1372	85.65	0.1573	92.05	0.2526	88.49
CPSO3	0.1513	101.99	0.1360	84.68	0.1525	89.31	0.2517	88.61
CPSORA1	0.1548	139.54	0.1387	120.00	0.1580	125.49	0.2524	124.54
CPSORA2	0.1557	101.07	0.1378	111.93	0.1586	89.26	0.2529	91.22

TABLE 4
SIMULATION RESULTS OF HS, HSRA, CHS AND CHSRA

Methods	Lena		Boat		Cameraman		Rice	
	M1	T1	M2	T2	M3	T3	M4	T4
HS1	0.1409	7.84	0.1298	6.32	0.1397	8.89	0.2354	6.68
HS2	0.1428	7.71	0.1297	6.37	0.1391	8.95	0.2359	8.68
HS3	0.1383	7.69	0.1290	6.49	0.1398	9.01	0.2418	14.47
HS4	0.1403	7.77	0.1245	6.59	0.1378	8.94	0.2355	10.28
HS5	0.1441	7.60	0.1279	6.53	0.1402	8.97	0.2385	6.70
HSRA1	0.1441	10.00	0.1287	8.65	0.1405	8.92	0.2407	8.88
HSRA2	0.1438	9.95	0.1272	6.44	0.1408	8.79	0.2403	6.66
HSRA3	0.1448	9.90	0.1303	8.29	0.1388	8.79	0.2421	6.63
CHS1	0.1440	9.81	0.1290	6.38	0.1403	8.93	0.2419	6.76
CHS2	0.1457	9.92	0.1294	8.41	0.1384	6.65	0.2423	8.63
CHS3	0.1441	7.56	0.1304	7.42	0.1384	6.67	0.2423	6.52
CHSRA1	0.1460	7.77	0.1301	6.38	0.1416	6.94	0.2424	6.86

Lena (0.1590); CSARA1 with SARA3, SARA4, and CSA2 for image of Boat (0.1436); CSARA3 for images of Cameraman (0.1703) and Rice (0.2539). In case of the worst objective function, the original of SA gives the less value for all images: SA1 for images of Lena (0.1301) and Cameraman (0.1154); SA2 for the image of Rice (0.2278); SA3 for the of Boat (0.1162).

Simulation of DE, DERA, CDE and CDERA

Simulation of differential evolution algorithm is carried out in 14 conditions. First, group is 5 simulations on the original differential evolution: DE1 (F = CR = 0.8), DE2 (F = CR = 0.5), DE3 (F = CR = 0.2), DE4 (F = 0.8, CR = 0.2), DE5 (F = 0.2, CR = 0.8). Second is 3 simulations on DE by random adjustment: DERA1 (F = CR = RA), DERA2 (F = RA, CR = 0.5), DERA3 (F = 0.5, CR = RA). Third is 3 simulations on chaotic DE: CDE1 (F = CR = Ch), DE2 (F = Ch, CR = 0.8), DE3 (F = 0.8, CR = Ch) and fourth is 3 simulations on the proposed methods, i.e. chaotic DE based on random adjustment: CDERA1 (F =

RA, CR = Ch), CDERA2 (F = Ch, CR = RA), CDERA3 (F = 1, CR = ChRA).

Simulation results for all DE algorithms are given in Table 2. These results show that, mean objective function of the proposed methods achieve the higher value only for 2 images: CDERA3 for image of Boat (M2=0.1420) and CDERA2 with DE1 for image of Cameraman (M3=0.1587). Other images are achieved for the higher value of mean objective function on DE1 for images of Lena (M1=0.1577) and Rice (M4=0.2536). In case of computation times show that, the best computation time for Lena image is CDERA1 (T1=104.42s), Boat image is CDE3 (T2=91.04s), Cameraman image is CDE1 (T3=86.41s), and Rice image is CDERA1 (T4=88.26s).

Furthermore, the best objectives function of proposed methods, only for image of Rice (CDERA2, CDERA3 = 0.2538), together with DE1, DERA1, DERA3, CDE2 and CDE3. Other images are achieved for the higher value of the best objective function on DE1 for image of Lena (0.1592), CDE2 for image Boat (0.1436), and DERA2 for image of Cameraman (0.1655). In a

Ori:0.1013	SA:0.1703	<i>SA:0.1154</i>	<i>DE:0.1655</i>	<i>DE:0.1364</i>	PSO:0.1697	<i>PSO:0.1269</i>	HS:0.1600	<i>HS:0.1217</i>
Ori: 0.0812	SA:0.1590	<i>SA:0.1301</i>	<i>DE:0.1592</i>	<i>DE:0.1281</i>	PSO:0.1592	<i>PSO:0.1368</i>	HS:0.1565	<i>HS:0.1026</i>
Ori: 0.2019	SA:0.2539	<i>SA:0.2278</i>	<i>DE:0.2538</i>	<i>DE:0.2293</i>	PSO:0.2539	<i>PSO:0.2418</i>	HS:0.2526	<i>HS:0.2068</i>
Ori:0.0844	SA:0.1436	<i>SA:0.1162</i>	<i>DE:0.1436</i>	<i>DE:0.1191</i>	PSO:0.1436	<i>PSO:0.1243</i>	HS:0.1418	<i>HS:0.1019</i>

Figure. 1. Comparison of Images for the original (normal and black text), the best objective function (bold and blue text) and the worst objective function (italic and red text) for all metaheuristic algorithms.

case of worst objective function, the original DE gives the less value for all images: DE3 for images of Boat (0.1191), Cameraman (0.1364) and Rice (0.2293) as well as DE5 for image of Lena (0.1281).

Simulation of PSO, PSORA, CPSO and CPSORA

Simulation on particle swarm optimization algorithm is performed in 13 conditions. First group is 4 simulations on the original particle swarm optimization: PSO1 ($r1 = r2 = 1.3$), PSO2 ($r1 = r2 = 1.0$), PSO3 ($r1 = r2 = 0.5$), PSO4 ($r1 = r2 = 0.2$). Second is 3 simulations on PSO by random adjustment: PSORA1 ($r1 = r2 = RA$), PSORA2 ($r1 = 0.8, r2 = RA$), PSORA3 ($r1 = RA, r2 = 0.8$). Third is 3 simulations on chaotic PSO: CPSO1 ($r1 = r2 = Ch$), CPSO2 ($r1 = 1.3, r2 = Ch$), CPSO3 ($r1 = Ch, r2 = 1.3$), and fourth is 3 simulations on the proposed methods: CPSORA1 ($r1 = r2 = ChRA$), CPSORA2 ($r1 = Ch, r2 = RA$), CPSORA3 ($r1 = RA, r2 = Ch$).

Simulation results for all PSO algorithms are given in Table 3. These results show that, mean objective function of the proposed methods achieve the higher value for all images: CPSORA2 for images of Lena ($M1 = 0.1557$), CPSORA1 for image of Boat ($M2 = 0.1387$), Cameraman ($M3 = 0.1586$) and Rice ($M4 = 0.2529$). In case of the comparison of computation times shows that the best computation time for Lena image is PSORA3 ($T1 = 100.81s$), Boat image is CPSORA3 ($T2 = 86.71s$), Cameraman image is CPSO3 ($T3 =$

84.68s), and Rice image is CPSO1 ($T4 = 85.00s$).

Moreover, the best objective functions of proposed methods give a higher value for 3 images: CPSORA1 for image of Cameraman (0.1697); CPSORA1, CPSORA2, CPSORA3 for images Boat (0.1436) and Rice (0.253). In a case of the worst objective function, the original PSO gives the less value for images of Boat (0.1243) and Cameraman (0.1269); CPSO1 for the image of Lena (0.1368); CPSO3 for image of Rice (0.2418).

Simulation of HS, HSRA, CHS and CHSRA

Simulation of harmony search algorithm is conducted in 14 conditions. First, group is five simulations on the original harmony search: HS1 ($H = P = 0.8$), HS2 ($H = P = 0.5$), HS3 ($H = P = 0.2$), HS4 ($H = 0.8, P = 0.2$), HS5 ($H = 0.2, P = 0.8$). Second is 3 simulations on HS by random adjustment, HSRA1 ($H = P = RA$), HSRA2 ($H = RA, P = 0.5$), HSRA3 ($H = 0.5, P = RA$). Third is 3 simulations on chaotic HS: CHS1 ($H = P = Ch$), CHS2 ($H = Ch, P = 0.5$), CHS3 ($H = 0.5, P = RA$), and fourth is 3 simulations on the proposed methods: CHSRA1 ($H = P = ChRA$), CHSRA2 ($H = Ch, P = RA$), CHSRA3 ($H = RA, P = Ch$).

Simulation results for all HS algorithms are given in Table 4. These results show that, mean objective function of the proposed methods achieve the higher value for all images: CHSRA1 for images of Lena ($M1=0.1460$), Cameraman ($M3=0.1416$) and Rice ($M4=0.2424$) as well as CHSRA2 for image of Boat ($M2=0.1307$). In case

TABLE 5
PARAMETER OF BEST OBJECTIVE FUNCTION

Parameter	Cameraman	Lena	Rice	Boat
p	0.6619	0.0644	0.9837	0.0240
q	0.0297	0.8691	2.0000	1.5732
r	1.0065	1.0623	0.9989	1.1124
s	1.2237	29.9987	22.1640	30.0000
E(I(M))	197.8765	366.4818	551.4762	213.6350
ne(I(M))	4057	3732	4989	3685
H(I(M))	7.6171	6.8348	7.6135	6.9511
F(M)	0.1703	0.1592	0.2539	0.1436

TABLE 6
PARAMETER OF WORST OBJECTIVE FUNCTION

Parameter	Cameraman	Lena	Rice	Boat
p	1.4707	0.9561	1.1610	0.7113
q	0.3764	1.1091	1.9994	1.9278
r	0.5000	1.2690	0.6547	0.9401
s	0.8521	5.7182	7.2831	29.6184
E(I(M))	193.5467	85.9574	339.8672	228.6044
ne(I(M))	2813	3546	4944	3352
H(I(M))	7.4834	6.6190	6.7967	5.3437
F(M)	0.1154	0.1026	0.2068	0.1019

of computation times for HS algorithms show that Lena image is CHS3 (T1=7.56 s), Boat image is CHSRA2 (T2=6.63 s) Cameraman image is HS1 (T3=6.32 s), and Rice image is CHS3 (T4=6.52 s).

Moreover, the best objective function of proposed methods gives higher value only for 2 images, which is CHSRA1 for images of (0.1418) and Cameraman (0.1600). The others are HS2 and HSRA2 for images of Lena (0.1565) as well as HSRA1 for the image of Rice (0.2526). In case of the worst objective function, the original HS gives the less value for 3 images: HS1 for image of Rice (0.2068), HS4 for images of Boat (0.1018) and Cameraman (0.1217). Another is CHS1 for the image of Lena (0.1026).

Comparison of images for the original (Ori), the best objective function and the worst objective function on all algorithms are shown in figure 1. Moreover, some examples for combination of parameters p, q, r and s are presented in relation to objective function F as well as intensity of edge E(I(M)) that is detected by Sobel edge detector, number of edge pixels ne(I(M)) and entropy of the images H(I(M)). Simulation results parameters for the best objective function (BOF) are given in Table 5 and for the worst objective function are shown in Table 6.

4. Conclusion

The objective of these proposed methods has been achieved to enhance the detail and the contrast of images. The indicator from the proposed methods

is the objective function are better than the original of images. As an example, the mean objective function of Lena image on CSARA1 is 0.1551, while on the original is 0.0812.

Based on the mean objective functions from simulation results, the performance of the proposed methods for all images is better than the original of metaheuristic, metaheuristic with chaos, and metaheuristic by Random adjustment, except Lena and Rice images in DE algorithms. In this case, mean objective function of DE1 for images of Lena (0.1577) and Rice (0.2536) are better than the proposed methods, i.e. CDERA1 (Lena: 0.1558, Rice: 0.2529), CDERA2 (Lena: 0.1557, Rice: 0.2533) and CDERA3 (Lena: 0.1573, Rice: 0.2531).

The probabilities of this case, since setting parameters of DE1 are fit with the characteristic of Lena and Rice images. The performance of metaheuristic algorithms depends on their parameter settings. As an example, the best objective function of Lena image (0.1592) is DE1 (F = CR = 0.8). However, the worst objective function of this image (0.1281) is variant of DE1, which is DE5 (F=0.2, CR=0.8). In case of computation time, the best computation time of Lena image is SA1 (43.17 s). However, the worst computation time is the variant of this method, that is SA3 (286.30 s).

Moreover, the performance of metaheuristic algorithms also depends on characteristic of the problem, in this case is images of Lena, Cameraman, Boat and Rice. For example, the best objective function of Lena (0.1590) and Boat (0.1436)

images are CSARA1. However, the best objective function image of Rice (0.2539) is CSARA2 as well as image of Cameraman (0.1703) is CSARA3.

Acknowledgements

This work is supported by Indonesian Directorate General of Higher Education (DIKTI) scholarship BPPDN 2013 for LMRR's study.

References

- [1] C. L. J. G. Sauer, M. Rudek, Differential evolution optimization combined with chaotic sequences for image contrast enhancement, *Chaos, Solitons and Fractals* 42 (2009) 522–529.
- [2] C. Munteanu, A. Rosa, Towards automatic image enhancement using genetic algorithms, *IEEE Congress on Evolutionary Computation* (2000) 1535–1542.
- [3] C. Munteanu, A. Rosa, Gray-scale enhancement as an automatic process driven by evolution, *IEEE Transaction on systems, man, and cybernetics Part B: Cybernetics* 34 (2) 1292–1298.
- [4] A. Gorai, A. Ghosh, Gray-level image enhancement by particle swarm optimization, *Congress on Nature Biologically Inspired Computing* (2009) 72–77.
- [5] I. Boussaid, J. Lepagnot, P. Siarry, A survey on optimization metaheuristics, *Information Science* 237 (2013) 82–117.
- [6] El-Ghazali Talbi, *Metaheuristics From Design to Implementation*, John Wiley Sons, Hoboken, New Jersey, 2009.
- [7] J. Liu, J. Lampinen, A fuzzy adaptive differential evolution algorithm, *Soft Computing - A fusion of Foundations, Methodologies and Applications* 9 (6) (2013) 448–462.
- [8] J. Di, N. Wang, *Harmony Search algorithm with Chaos for training RBFNN*, Academy Publisher, 2013, pp. 2231–2237.
- [9] K. Ferens, C. D., K. W., Chaotic simulated annealing for task allocation in multiprocessing system, *IEEE International Conference on Cognitive Informatics Cognitive Computing (ICCI-CC)*, 12 (2012) 26–35.
- [10] N. Noman, D. Bollgala, H. Iba, An adaptive differential evolution algorithm, *IEEE Evolutionary Computation* (2011) 2229–2236.
- [11] X. Li, J. Xu, Y. Yang, A chaotic particle swarm optimization - based heuristic for market-oriented task-level scheduling in cloud workflow systems, *Computational Intelligence and Neuroscience 2015* (2015) 11 pages.
- [12] H. Cheng, H. Xu, A novel fuzzy logic approach to contrast enhancement, *Pattern Recognition* 33 (2000) 809–819.
- [13] M. El-Santawy, A. Ahmed, R. El-Dean, Chaotic differential evolution optimization, *Computing and Information System Journal* 16 (2) (2012) 1–4.
- [14] S. Kirkpatrick, C. Gelatt, M. Vecchi, Optimization by simulated annealing, *Science, New Series* 220 (4598) (1983) 671–680.
- [15] B. Suman, P. Kumar, A survey of simulated annealing as a tool for single and multiobjective optimization, *Journal of the Operation research Society* 577 (2006) 1143–1160.
- [16] R. Eberhart, J. Kennedy, A new optimizer using particle swarm theory, *Sixth International Symposium on Micro Machine and Human Science* (1995) 39–43.
- [17] K. S. Lee, Z. W. Geem, A new meta-heuristic algorithm for continuous engineering optimization: harmony search theory and practice, *Comput. Methods Appl. Mech. Engrg* 194 (2005) 3902–3933.